

KRUPENIKOV, I.A.

First observations of the extent of chernozem soils in North America.
Izv.Vses.geog.ob-va 86 no.3:292-294 My-Je '54, (MLRA 7:6)
(United States--Chernozem soils) (Chernozem soils--United States)

Академик Борис Борисович; АКАДЕМИК ИГОРЬ АРКАДЬЕВИЧ;
АКАДЕМИК ЛЕВ АРКАДЬЕВИЧ; ТЮРИН, И.В., академик, ответственный
редактор; МАРКОВ, В.Я., редактор издательства; ПАВЛОВСКИЙ, А.А.,
технический редактор

[Vasilii Vasil'evich Dokuchaev; a sketch of his life and works]
Vasilii Vasil'evich Dokuchaev; ocherk zhizni i tvorchestva. Moskva,
Izd-vo Akademii nauk SSSR, 1956. 276 p. (MLRA 9:12)
(Dokuchaev, Vasilii Vasil'evich, 1846-1903)

KRAPENIKOV, I. A.

USSR / Forestry. Dendrology.

K

Abs Jour : Ref Zhur - Biologiya, No 22, 1958, No. 100154

Author : Krupnikov, I. A.; Sbeintsis, O. G.

Inst : Odessa Hydrometeorological Institute

Title : Suitability of the Tamarisk to the Saline Soils of the
Northwestern Part of the Black Sea Coast

Orig Pub : Tr. Odessk. gidrometeorol. in-ta, 1958, No 16, 103-110

Abstract : It was found that Tamarix tetrandra and T. ramosissima grow successfully around Odessa on heavily saline carbonate, sandy, and clayey soils where the level of mineralized subsoil water is high. Here the plants can bear as much as 1% of salts per liter of subsoil water. The upper soil layer under a tamarisk dries out, while the lower layers have a constantly high moisture content. The lowland parts of the coasts Black, Azov, Caspian, and Aral Seas can be planted with belts of tamarisk which

Card 1/2

USSR / Forestry. Dendrology.

K

Abs Jour : Ref Zhur - Biologiya, No 22, 1958, No. 100154

will protect other species, further inland, from the
sea spray. -- L. V. Neamolov

Card 2/2

11

KRUPENIKOV, I.A.

Associations of filtering halophytes. Trudy OGMI no.16:111-115
'58. (MIRA 12:9)

(Halophytes) (Plant communities)

KRUPENIKOV, I.A.; SHEYNTZIS, O.G.

Growing conditions of juniper and thuja in saline seashore soils.
Trudy OGMI no.18:59-68 '59. (MIRA 13:5)
(Odessa region--Juniper) (Odessa region--Thuja)
(Plants, Effect of salts on)

KRUPENIKOV, I.A.

Nikolai Aleksandrovich Dimo; obituary. Zool.zhur. 38 no.12:
1904-1906 D '59. (MIRA 13:5)
(Dimo, Nikolai Aleksandrovich, 1873-1959)

KRUPENIKOV, I.A., kand.geologo-mineralogicheskikh nauk

Buried soils of the lower Trajan's Wall and some problems of the
science of paleosols. Okhr.prir.Mold. no.1:55-69 '60. (MIRA 15:2)
(Moldavia—Roman walls)

KRUPENIY, I.A., kand.geologo-mineralogicheskikh nauk

Forest soils of southern Moldavia in connection with forest protection and regeneration. Ochr.prirod. Mold. 90.1:70-76 '80.

(NIA 13:2)

(Moldavia—Forest protection)(Forest soils)

KANIVETS, I.I., otv. red.; DIKUSAR, I.G., red.; KRUPENIKOV, I.A., red.;
KHARITONINA, A.A., red.; LEDVICH, M.M., tekhn. red.

[Effectiveness of fertilizers in Moldavia]Effektivnost' udob-
renii v usloviakh Moldavii. Kishinev, Izd-vo "Shtiintsa,"
1961. 123 p. (MIRA 16:2)

1. Moldavskiy nauchno-issledovatel'skiy institut pochvovedeniya
i agrokhimii imeni N.A.Dimo.
(Moldavia--Fertilizers and manures)

KRUPENIKOV, I.A., otv. red.; DIKUSAR, I.G., red.; ZASLAVSKIY, M.N., red.; LUNEVA, R.I., red.; URSU, A.F., red.; KHARITONINA, A.A., red.; POLONSKIY, S.A., tekhn. red.

[Transactions of the Dokuchaev Conference, commemorating the 60th anniversary of the publication of V.V.Dokuchaev's work "Problems of the soils of Bessarabia."] Trudy Dokuchaevskoy konferentsii posvyashchennoi 60-letiyu vykhoda v svet raboty V.V.Dokuchaeva "K voprosu o pochvakh Bessarabii," 1960. Kishinev, Izd-vo "Shtiintsa, 1961. 222 p. (MIRA 15:7)

1. Dokuchayevskaya konferentsiya, posvyashchennaya 60-letiyu vykhoda v svet raboty V.V.Dokuchayeva "K voprosu o pochvakh Bessarabii", 1960. 2. Pochvennyy institut imeni N.A.Dino, Moldaviya (for Krupenikov, Zaslavskiy, Luneva, Ursu). (Moldavia--Soils)

KRUPENIKOV, I.A., kand. geologo-mineral. nauk; RODINA, A.K.; STRIZHOVA,
G.P.; URSU, A.F.

Chernozems of the northern half of Moldavia, Izv. Mold. fil.
AN SSSR no.7:3-23 '61 (MIRA 17:7)

KRUPENIKOV, I.A.; RYABININA, L.N.

Soils and vegetation of the Pugoy Forest. Okhr. prir. Mold.
no.2:57-66 '61. (MIRA 15:8)
(Pugoy region--Forest soils)

SPASSKIY, A.A., otv. red.; AVERIN, Yu.V., doktor biol. nauk, red.;
VERINA, V.N., red.; KRUPENIKOV, I.A., kand. geol.-miner.
nauk, red.; ODUD, A.L., kand. geogr. nauk, red.;
POKROVSKIY, V.S., kand. biol. nauk, red.; USPENSKIY, G.A.,
kand. biol. nauk, red.; SHAPOSHNIKOV, L.K., kand. biol.
nauk, red.; POSAZHENIKOVA, Ye., red.

[Transactions of the Fifth All-Union Conference on the
Conservation of Nature] Trudy Vsesoiuznogo soveshchaniia
po okhrane prirody. 5th. Kishinev, Kartia moldoveniaske,
1963. 267 p. (MIRA 17:11)

1. Vsesoyuznoye soveshchaniye po okhrane prirody. 5th,
Kishinev, 1962. 2. Predsedatel' Komissii po okhrane prirody
AN Moldavskoy SSR (for Odud). 3. Starshiy nauchnyy sotrud-
nik Komissii po okhrane prirody pri Gosplane SSSR (for
Pokrovskiy). 4. Vitse-prezident AN Moldavskoy SSR. Deyatvi-
tel'nyy chlen AN Mold.SSR (for Spasskiy). 5. Zaveduyushchiy
laboratoriyey pochvovedeniya Instituta pochvovedeniya i agro-
khimii im. N.A.Dimo (for Krupenkov). 6. Institut zoologii AN
Moldavskoy SSSR (for Averin).

GOGOLEV, I.N.; KRUPENIKOV, I.A.

Scientific symposium "Soils in the southwestern U.S.S.R."
Pochvovedenie no.3:114-121 M. '64. (MIRA 17:4)

KRUPENIKOV, I.A.; LEYB, Kh.J.

Alluvial soils, their characteristics, utilisation and place in the
overall system of soil conservation. Ochr. prir. Mold. no. 2:25-33
'65. (WRA 18:10)

KRUFENIKOV, I.A.; URSU, A.F.; BALTYANSKIY, D.M.; MODINA, A.K.;
IOPLANOVA, L., red.

[Zoning of soils according to agricultural use in the
Moldavian S.S.R.] Agropochvennoe raionirovanie Moldavskoi
SSR. Kishinev, Kartia moldoveniaske, 1965. 167 p.
(MIRA 18:11)

~~ARKAD~~ KRUPENIKOV, LEV ARKAD'YEVICH

POLYAK, Boris Borisovich, akademik; KRUPENIKOV, Igor' Arkad'yevich;
KRUPENIKOV, Lev Arkad'yevich; TYUMIN, I.V., akademik, otvetstvennyy
redaktor; MARKOV, V.Ya., redaktor izdatel'stva; PAVLOVSKIY, A.A.,
tekhnicheskiy redaktor

[Vasilii Vasil'evich Dokuchaev; a sketch of his life and works]
Vasilii Vasil'evich Dokuchaev; ocherk zhizni i tvorchestva. Moskva,
izd-vo Akademii nauk SSSR, 1956. 276 p. (MLRA 9:12)
(Dokuchaev, Vasilii Vasil'evich, 1846-1903)

1. KRUPENIKOV, Ya.
2. USSR (600)
4. Land - Classification
7. North Russian people's classification of usable lands and soils of the 16th - 18th centuries. Pochvovedenie, No. 1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953. Unclassified.

1. KRUPENIKOVA, I., KRUPENIKOVA, L.
2. USSR (600)
4. Geology and Geography
7. Vasily Vasilevich Dokuchayev (Biography), I. Krupenikova and L. Krupenikova. .
(Moscow, Young guard, 1948). Reviewed by Yu. G. Saushkin, Sov. Kniga, No. 12,
1948.
9. ~~Report~~ Report U-3081, 16 Jan. 1953. Unclassified.

L 41050-66 FBD/EWT(1)/EEC(k)-2/T/EWP(k) IJP(c) MG

ACC NR: AP6018456

SOURCE CODE: UR/0051/66/020/006/1088/1089

AUTHOR: Krupenikova, T.; Chayka, M.

ORG: none

TITLE: Lifetime determination for the $2p^5 3p(2p_4)$ state of neon

SOURCE: Optika i spektroskopiya, v. 20, no. 6, 1966, 1088-1089

TOPIC TAGS: ~~CH-1000~~, gaseous state laser²⁵, laser modulation, laser R and D, laser theory, laser emission, electron transition, optic modulator, light modulator, magnetic modulation, laser emission coherence

ABSTRACT: The authors found the lifetime for the $2p^5 3p(2p_4)$ state in neon to be approximately $0.6 \cdot 10^{-8}$ sec while the bandwidth of this emission is estimated to be 26 Mhz. The deviation of these results from the theoretical values may be explained by the influence of depolarizing collisions. Radiation in a direction perpendicular to the laser axis was measured using a small segment of the laser tube between two Helmholtz coils as the course. The externally applied magnetic field controlled the coherence and hence the amplitude of the laser output. The population of the $2p^5 3p(2p_4)$ level is due to spontaneous transitions as well as transitions from the $2p^5 4s(2s_2)$ level caused by the applied field. The latter induced transitions are responsible for the coherence. As the degree of coherence increases, so does the intensity of the ra-

Card 1/2

UDC: 535.373.3 : 546.292

61
60
B

L 41050-66

ACC NR: AP6018456

diation in the direction normal to the laser axis, while the intensity of the conventional, axial beam simultaneously decreases. This phenomenon was used to set up a system for the synchronous detection of the coherent component of $2p^53p(2p_4)$ radiation. The effect of the applied dc magnetic field on the magnitude of the detected signal was investigated. The authors thank A. Razumovskiy for assisting in the work. Orig. art. has: 1 figure.

SUB CODE: 20/

SUBM DATE: 28Dec65/

ORIG REF: 002/

OTH REF: 002

Card 2/2

L 7694-66 EWT(m)/EW^P(1) RM

ACC NR: AP5028736

SOURCE CODE: UR/0363/65/001/011/2031/2038

AUTHOR: Fedoseyev, A. D.; Grigor'yeva, L. F.; Chigareva, O. G.; Krupenikova, Z. V.; Rozhnova, G. A. 68

ORG: Institute of Silicate Chemistry im. I. V. Grebenshchikov, Academy of Sciences, SSSR (Institut khimii silikatov, Akademii nauk SSSR) B

TITLE: Asbestos type synthetic fibrous fluosilicates, their properties and potential uses

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 1, no. 11, 1965, 2031-2038

TOPIC TAGS: asbestos product, synthetic fiber, fluoroamphibole, fluosilicate, fiber crystal, crystallization, thermal stability, tensile strength, heat resistance, chemical stability

ABSTRACT: Certain experimental data are presented on the preparation and properties of the fibrous fluoroamphiboles. The data were obtained in a systematic study of asbestos-type fibrous silicates, which has been conducted at the Institute of Silicate Chemistry, AN SSSR. This study was prompted by the recently developed interest in synthetic asbestos materials which may be substituted for natural asbestos and may also find new technical applications because of the widely varied composition and properties. The data presented concern crystallization from fluxed melt of the fluoro-

Card 1/2

UDC: 54-114

0701 2121

L 7694-66

ACC NR: AP5028736

2

amphiboles of the general formula: $X_2-3Y_5[Si_4O_{11}]_2(F, Cl, OH)_2$ where X is Na^+ and Y is Mg^{2+} , Mg^{2+} and Fe^{3+} , Mg^{2+} and Ni^{2+} , Mg^{2+} and Co^{2+} , or Mg^{2+} and Cr^{2+} . Moreover, a lithium-magnesium fluoroamphibole was synthesized. The effects were determined of temperature (850—1050C) and fluorine content in the charge on the habit and mineralogical composition of the fluoroamphibole crystals. The conditions were optimized for obtaining the highest content of the fibrous variety in the product. Crystal optical constants and parameters of the unit cell were determined for the six synthesized fluoroamphiboles. A comparative study was made of the thermal, mechanical, and chemical properties of the fluoroamphiboles and some natural asbestos. Thermal stability of the fluoroamphiboles was found to be 100—150C higher than that of the natural amphibolic asbestos. The chromium fluoroamphibole was the most stable. Acid- and alkali-resistance of the fluoroamphiboles, except the lithium-magnesium fluoroamphiboles, was equivalent to that of a natural asbestos. Tensile strength, the most important characteristic, was found to be of the same order of magnitude in synthetic fluoroamphiboles as in natural asbestos of various origin and in whiskers of refractory oxides. Tensile strength decreased after heat treatment at a temperature of 150 to 200C higher in the fluoroamphiboles than in a natural asbestos. The potential uses of the synthetic fluoroamphiboles include industrial filters, fillers in rubber products and thermally resistant glues, gaskets in high-pressure or high-vacuum apparatus, fire protective and heat insulating materials, and structural reinforcing fillers in the new [unnamed] materials. Orig. art. has: 1 figure and 6 tables. [JK]

SUB CODE: MT/ SUBM DATE: 31May65/ ORIG REF: 007/ OTH REF: 010/ ATD PRESS:

Card 2/2

RE: TEMIN, L.P.

"The Development of a Method of Densitometry for the Emulsion Color Film."
Cand Tech Sci, All-Union Sci-Tech Cine-Photographic Inst, 30 Dec 54. (V. 1, 22 Dec 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher
Educational Institutions (12)

SO: Sum. No. 556 24, Jun 55

KOROSTYLEV, B.N., kand.tekhn.nauk [translator]; SPASOKUKOTSKIY, N.S., kand. khim.nauk [translator]; KRUPENIN, L.K., kand.tekhn.nauk, [translator]; KOZLOV, P.V., doktor tekhn.nauk, red.; CHEL'TSOV, V.S., kand.khim.nauk, red.; SERDYUKOV, I.V., red.; SMIRNOVA, N.I., tekhn.red.

[Photographic materials and their processes; a collection of translations] Fotograficheskie materialy i protsessy ikh obrabotki; sbornik perevodov iz inostrannoi periodicheskoi literatury. Moskva, Izd-vo inostr. lit-ry, 1957. 319 p. (MIRA 11:5)
(Photography)

KRUPENIN, L. K.

"Photographic sensitometry [in French]" by M. Roulleau. Reviewed by
L.K. Krupenin. Zhur.nauch.i prikl.fot.i kin. 2 no.2:158-159 Mr-Apr
'57. (MLRA 10:5)

(Photographic sensitometry)
(Roulleau, M)

KIRILLOV, N.I.; YERMOLAYEVA, N.I.; KRUPENIN, L.K.; KIRILLOVA, N.Ye.

Investigating the hardening of positive color film during its processing. Zhur.nauch.i prikl. fot. i kin. 6 no.2:81-86 Mr-Ap '61. (MIRA 14'4)

1. Vsesoyuznyy nauchno-issledovatel'skiy kinofotoinstitut.
(Color photography—Films)

BARANOV, G.S.; KATSENELENOGEN, E.D.; KLYUYENKOVA, Ye.I.;
KRUPENIN, L.K.

Sensitometry of reversal color films. Usp. nauch. fot. 8:210-215
162. (MIRA 17:7)

S/058/63/000/003/052/104
A062/A101

AUTHORS: Krupenin, L. K., Baranov, G. S.

TITLE: Calibration methods of color densitometers

PERIODICAL: Referativnyy zhurnal, Fizika, no. 3, 1963, 88, abstract 3D593
("Uspekhi nauchn. fotogr.", 1962, v. 8, 263 - 272)

TEXT: Methods are considered for calibrating color densitometers and for measuring the photographic effect on multilayer materials; they constitute one of the sections of the general NIKFI sensitometric testing for color photographic materials on a transparent backing. It is proposed to measure the photographic effect in units FESP (VESP). Definitions are given of the fundamental quantities of color photographic sensitometry, and methods for their experimental measurements are indicated.

D. Balabukha

[Abstracter's note: Complete translation]

Card 1/1

BARANOV, G.S.; KATSENELENOGEN, E.D.; KRUPENIN, L.K.

Standardization of the method of a comprehensive sensitometric
testing of multiple-layer color materials. Zhur.nauch.i prikl.
fot.i kin. 8 no.1:71-74 Ja-F '63. (MIRA 16:2)
(Color photography--Equipment and supplies)
(Photographic sensitometry--Standards)

~~KROPENIN, L.Ya.; ZAYTSEVA, K.Ya., redaktor; GLADIKH, N.N., tekhnicheskii~~
~~redaktor.~~

[The V-501 propeller for Yak-12 and Yak-18 airplanes; design, servicing and repair] Vozdushnyi vint V-501 dlia samoletov Iak-12 i Iak-18; konstruktsiia, obsluzhivanie i remont. Moskva, Gos. izd-vo oboronnoi prom., 1954. 112 p. [Microfilm] (MLBA 7:11)
(Propellers, Aerial)

VYRODOV, N.V.; KRUPENIN, Z.A.; KOSOVSKIY, V.L.

Cutter head for cutting racks of self-centering three-jaw lathe chucks.
Stan.1 instr. 24 no.10:33 0 '53. (MIRA 6:11)

(Gear-cutting-machines)

KRUPENIN, Z.A.; MOTS, A.A.

Small automatic machine-tool unit for machining flange-type parts.
Biul.tekh.-ekon.inform.Gos.nauch.-issl.inst.nauch.i tekhn.inform.
no.12:53 '63. (MIRA 17:3)

KRUPENIN, Zinovy Abramovich; KOSOVSKIY, Volya L'vovich; SOKOLOVA, V.Ye.,
inzh., ved. red.; KOSTROMIN, F.P., kand. tekhn. nauk, red.;
SOROKINA, T.M., tekhn. red.

[High-production attachments for machining on lathes] Vysokoproiz-
voditel'nye prisoobleniya dlia tokarnykh rabot. Moskva, Filial
Vses. in-ta nauchn. i tekhn. informatsii, 1958. 51 p. (Peredovoi
nauchno-tehnicheskii i proizvodstvennyi opyt. Tema 10. No.M-58-
277/42) (MIRA 16:2)

(Lathes--Attachments)

VESELOV, M.P.; KRUPENINA, A.A.; BLINOVA, L.A.

Studies on the bactericidal and sporocidal properties of
dichlorohydantoin and its derivatives. Zhur.mikrobiol.epid.
i immu. 30 no.4:111-116 Ap '59. (MIRA 12:6)

1. Iz Voenno-meditsinskoy ordena Lenina akademii imeni S.M.
Kirova.

(HYDANTOINS, effects,
dichlorohydantoin & deriv., bactericidal &
sporogenic eff. (Rus))

OSIPYAN, V.T.; KRUPENINA, A.A.

Methodology for differentiating the bactericidal and bacterio-
static action of preparations of the quaternary ammonium compound
group. Lab. delc. no.1:43-45 '65. (MIRA 18:1)

1. Voenno-meditsinskaya ordena Lenina akademiya im. S.M. Kirova,
Leningrad.

VOROB'YEV, S.A., doktor sel'skokhozyaystvennykh nauk, prof.; KRUPENINA, .
A.P., kand. sel'skokhozyaystvennykh nauk; LOSHAKOV, V.G.,
aspirant

Postharvest crops and the fertility of turf-Podzolic soils.
Izv. TSKHA no.4:16-32 '63. (MIRA 17:1)

KRUPENINA, A. P.

"Presowing Treatment of Soil to be Used for Spring Grain Crops in the Central Region of the Nonchernozem Belt." Cand Agr Sci, Moscow Agricultural Acad imeni Timiryazev, Moscow, 1954. (RZhBiol, No 7, Dec 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (12)
SO: Sum. No. 556, 24 Jun 55

VOROB'YEV, S.A., prof., doktor sel'skokhozyaystvennykh nauk; KRUPENINA,
A.P., kand.sel'skokhozyaystvennykh nauk

Intermediate crops are an additional possibility for increasing
the yield of farm crops. Izv.TSKhA no.6:45-56 '59.
(MIRA 13:6)

(Rotation of crops)

MALAN'IN, M.I.; KRUPENINA, A.P.; CHERKASHINA, M.M.; RUMYANTSEVA, V.V.;
SHVETSOV, G.F., red.; SERGEYEVA, N.A., red. izd-va; GUROVA, O.A.,
tekhn. red.

[Concentration of diamond-bearing bedrock and sand] Obogashchenie
almazosoderzhashchikh korennykh porod i peskov. By M.I.Malan'in i
dr. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po geol. i okhrane
nedr, 1961. 242 p. (MIRA 14:10)
(Diamond mines and mining) (Ore dressing)

KRUPENINA, Anna Petrovna, kand. sel'khoz. nauk; LOSHAKOV, .
Vladimir Grigor'yevich; VOROB'YEVA, S.A., prof., red.;
SHULEYKIN, P.A., red.; ATROSHCHENKO, L.Ye., tekhn.red.

[Soil and postharvest crops] Zemlia i promeshkutochnye
kul'tury. Moskva, Izd-vo "Znanie," 1963. 46 p. (Narodnyi
universitet kul'tury: Sel'skokhoziaistvennyi fakul'tet,
no.4) (MIRA 16:3)

(Field crops)

VOROB'YEV, S.A., prof.; KRUPENINA, A.P., kand. sel'skokhoz. nauk;
LOSHAKOV, V.G., kand. sel'skokhoz. nauk; VOZNESENSKIY, K.N.;
KUDIN, V.I.; KOBLEV, Yu.M.; YEFIMOV, I.T., kand. sel'skokhoz.
nauk; MASANDILOV, E.S., kand. sel'skokhoz. nauk; NAFTALIYEV,
Sh.P., aspirant; PANASYUK, B.A., aspirant

Concentration of crop rotations. Zemledelie 27 no.7:55-70
Jl '65. (MIRA 18:7)

1. Moskovskaya sel'skokhozyaystvennaya akademiya imeni K.A. Timiryazeva (for Vorob'yev, Krupenina, Loshakov).
2. Glavnyy agronom po kormam Ministerstva sel'skogo khozyaystva Tadzhikskoy SSR (for Voznesenskiy).
3. Brestskaya oblastnaya sel'skokhozyaystvennaya opytnaya stantsiya (for Kudin).
4. Adygeyskaya oblastnaya sel'skokhozyaystvennaya opytnaya stantsiya (for Koblev).
5. Krasnodarskiy nauchno-issledovatel'skiy institut sel'skogo khozyaystva (for Yefimov).
6. Dagestanskiy nauchno-issledovatel'skiy institut sel'skogo khozyaystva (for Naftaliyev).
7. Ukrainskaya sel'skokhozyaystvennaya akademiya (for Panasyuk).

DOBATKIN, V.I., kandidat tekhnicheskikh nauk; KRUPENINA, K.N.; SEMENOVA, A.I.

Properties of pressed D16 aluminum alloy shapes depending on heat treatment conditions. Trudy MATI no.23:86-101 '54. (MLRA 8:11)
(Aluminum alloys) (Metals--Heat treatment)

LANDO, L.I.; ZAKHAR'IN, Yu.L.; KRUPENINA, L.B.

Serotonin content of the blood of psychiatric patients and its changes
in the process of treatment. Zhur. nevr. i psikh. 62 no.1:99-107
'62. (MIRA 15:4)

1. Laboratoriya biokhimii (zav. - L.I.Lando) Nauchno-issledovatel'-
skogo instituta psikiatrii (dir. - prof. D.D.Fedotov) Ministerstva
zdravookhraneniya RSFSR, Moskva.
(SEROTONIN) (SCHIZOPHRENIA) (EPILEPSY)
(CEREBROVASCULAR DISEASES)

L 03107-57 EWT(M)
ACC NR: AH6032312

SOURCE CODE: UR/0081/66/000/010/M027/M027

AUTHOR: Zubrilov, S. P.; Krupenina, N. V. 26
B

TITLE: Study of the effect of ultrasonic treatment of cement mortar on the strength of concrete

SOURCE: Ref. zh. Khimiya, Part II, Abs. 10M225

REF SOURCE: Tr. Leningr. in-ta vodn. transp., vyp. 83, 1965, 117-123

TOPIC TAGS: cement, concrete, ultrasonics, concrete strength, mortar, cement strength, ultrasonic vibration

ABSTRACT: Concrete made with cement, subjected to ultrasonic treatment at a frequency of 20 kc, increases in strength by 71% in two days, by 93% in three days, and by 53% in seven days compared to the strength of control samples. After ultrasonic treatment, ordinary cement acquires the property of quick hardening. The greatest increase in strength is observed after a three-min ultrasonic treatment and a water cement ration of 0.5. The increase in strength is proportional to the increase in intensity of the ultrasonic vibrations within the 4.8 to 8.9 kw range. A decrease in W/C ratio below 0.5 sharply reduces the cavitation zone and a treatment of cement below that ratio is undesirable due to the strong absorption of ultrasound. The direction of the ultrasonic

Card 1/2

L 08387-67
ACC NR: AR6032312

vibrations does not substantially influence the cavitation effect, nor does the presence of ethyl ether, calcium chloride, or potassium carbonate substantially increase the size of the cavitation zone. The addition of a 5% solution of CaCl_2 in combination with ultrasonic treatment increases the strength of cement by 20%. [Translation of abstract]

SUB CODE: 07/

Card 2/2 LS

L 08387-67 ENT(π)

ACC NR: AR6032312

SOURCE CODE: UR/0081/66/000/010/MO27/MO27

AUTHOR: Zubrilov, S. P.; Krupenina, N. V. 26

TITLE: Study of the effect of ultrasonic treatment of cement mortar on the strength of concrete

SOURCE: Ref. zh. Khimiya, Part II, Abs. 10M225

REF SOURCE: Tr. Leningr. in-ta vodn. transp., vyp. 83, 1965, 117-123

TOPIC TAGS: cement, concrete, ultrasonics, concrete strength, mortar, cement strength, ultrasonic vibration

ABSTRACT: Concrete made with cement, subjected to ultrasonic treatment at a frequency of 20 kc, increases in strength by 71% in two days, by 93% in three days, and by 53% in seven days compared to the strength of control samples. After ultrasonic treatment, ordinary cement acquires the property of quick hardening. The greatest increase in strength is observed after a three-min ultrasonic treatment and a water cement ration of 0.5. The increase in strength is proportional to the increase in intensity of the ultrasonic vibrations within the 4.8 to 8.9 kw range. A decrease in W/C ratio below 0.5 sharply reduces the cavitation zone and a treatment of cement below that ratio is undesirable due to the strong absorption of ultrasound. The direction of the ultrasonic

Card 1/2

L 08387-67

ACC NR: AR6032312

0
vibrations does not substantially influence the cavitation effect, nor does the presence of ethyl ether, calcium chloride, or potassium carbonate substantially increase the size of the cavitation zone. The addition of a 5% solution of CaCl_2 in combination with ultrasonic treatment increases the strength of cement by 20%. [Translation of abstract]

SUB CODE: 07/

Card 2/2 LS

KRUPENINA, H.M.; FEL'DMAN, A.Ya.; ZABELOTSKIY, L.M.; BUBNOV, P.I., red.;
SNGAL', H.M., red.; DMITRIYEV, N.I., tekhn. red.

[Yarn beam frame without tensioning tent for ribbon looms] Bes-
shatrovaia navoinaia rama k lentotkatskomu stanku. Moskva, Gos.
nauchno-tekhn. izd-vo M-va legkoi promyshl. SSSR, 1956. 34 p.
(MIRA 11:10)

1. Russia (1923- U.S.S.R.) Ministerstvo legkoy promyshlennosti.
Byuro tekhnicheskoy informatsii.
(Looms)

FEUERHINA, V.I.

Functional state of the respiratory center in plague intoxication. Dokl. Izv. gos. nauch.-issl. protivochum. inst. no.5:
80-87 1963 (MIRA 18:1)

KRUPENINA, V.I.

Effect of plague bacillus toxin on the respiratory function of
the blood and some hemodynamic indices. Blul.eksp.biol.i med.
57 no.5:33-36 My '64. (MIRA 18:2)

1. Biokhimicheskiy otdel Irkutskogo nauchno-issledovatel'skogo
protivochumnogo instituta Sibiri i Dal'nego Vostoka (dir. -
prof. I.V.Domaradskiy). Submitted January 23, 1963.

KRUPEN'KIN, A.

Sectional knives for meat grinders. Mas.ind.SSSR 27 no.3:52 '56.
(MIRA 9:9)

1.Vyznanskiy myasekombinez.
(Meat grinders)

KRUPENKO, S., Senior Vet. - A. V. BURDOV, ET AL.

Veterinary Department, Ministry of Agriculture, Buriat-Mongol ASSR

"On zooveterinary servicing of consolidated kolkhozes."

SO: Veterinariya 28(9), 1951, p. 5

KRUPETKO, S. S.

KRUPETKO, S. S. "The Problem of the Prophylaxis of Gastrointestinal Diseases of Cattle on the Kolkhozes in the Selenga GPR Region of Buryat Mongolia." Moscow Veterinary Academy, Min Higher Education USSR. Moscow, 1955. (DISSERTATION FOR THE DEGREE OF CANDIDATE IN AGRICULTURAL SCIENCE).

Kol'snaya Letopis'.
No. 27, July 2, 1955.

KRUPENKO, S.S., kand. veterin. nauk; BANAKOVA, L.A.

Therapy and prophylaxis of leptospirosis in calves using a
chinosol-embryonic tissue preparation. Veterinariia 39
no.8:27-28 Ag '62. (MIRA 17:12)

1. Glavnyy veterinarnyy vrach so 'khoza "Vasil'kogo",
Kaliningradsкая oblast' (for Banakova).

VEL'TMAN, R.P.; ZHUKOVSKIY, L.I.; PONOMAREV, L.Ye.; VEMYAN, A.Zh.;
 BENENSON, M.P.; ZALMANENOK, V.S.; KRUPENKO, T.I.; BABICH, Z.Ye.;
 GUTMAN, L.B.; ALIMOV, T.U.; YAKUNIN, P.N.; KRYZHANOVSKAYA, N.L.;
 AKSEL'DORF, A.L.; MUSINA, S.A.; KLEYF, A.D.; LUTSEVICH, E.V.;
 LEVINSON, O.S.; TURBINA, N.S.

Brief reports. Sov. med. 28 no.10:144-148 O '65.

(MIRA 18:11)

1. Kiyevskiy institut tuberkuleza i grudnoy khirurgii (for Vel'tman, Zhukovskiy).
2. 3-ya kafedra khirurgii TSentral'nogo instituta usovershenstvovaniya vrachey, Moskva (for Ponomarev, Vemyan, Benenson).
3. Kafedra propedevticheskoy terapii Grodnenskogo meditsinskogo instituta i 1-ya klinicheskaya bol'nitsa imeni Solov'yeva, Grodno (for Zalmanenok, Krupenko).
4. Ukrainskiy nauchno-issledovatel'skiy institut okhrany materinstva i detstva imeni Buyko, Kiyev (for Babich, Gutman).
5. Klinika gospi'tal'noy khirurgii Andizhanskogo meditsinskogo instituta (for Alimov).
6. Kafedra voyenno-nolevoy terapii Voyenno-meditsinskoy ordena Lenina akademii imeni Kirova, Leningrad (for Mitropol'skiy, Latysh, Murchakova).
7. Kafedra urologii I Moskovskogo ordena Lenina meditsinskogo instituta (for Aksel'dorf).
8. 4-ya infektsionnaya klinicheskaya bol'nitsa Ufy (for Musina).
9. Chernovitskaya detskaya oblastnaya klinicheskaya bol'nitsa (for Kleyf).
10. Klinika obshchey khirurgii lechebnogo fakul'teta I Moskovskogo meditsinskogo instituta imeni Sechenova i patologoanatomicheskoye otdeleniye klinicheskoy bol'nitsy No.23 imeni Medsantrud, Moskva (for Lutsevich, Levinson).

(Cont. next card)

VEL'TMAN, R.P.; (Continued) Card 2:

11. Gematologicheskaya klinika Tsentral'nogo ordena Lenina
instituta gematologii i perelivaniya krovi, Moskva (for Turbina).

KRUFENKOV, Nikolay Filippovich; SHVETSOVA, R.V., red.; SOKOLOVA, S.I.,
tekhn. red.

[Volga-Baltic Sea]Volgo-Balt. Vologda, Vologodskoe knizhnoe izd-
vo, 1962. 110 p. (MIRA 15:12)
(Volga-Baltic Sea Waterway)

KRUPENKOV, Vladimir Ivanovich; FIRSHTEMBERG, Yakov Yul'yevich;
KRAINSKIY, A.S., red.

[Mechanizing consolidated accounting for the amount of
materials used per unit of production in the Proletarskii
Plant] Mekhanizatsiia svodnykh raschetov materialoemkosti
izdelii na Proletarskom zavode. Leningrad, 1964. 14 p.
(MIRA 18:4)

TROYANOVSKIY, B.M., kand.tekhn.nauk, dotsent; KAZINISEV, F.V., inzh.;
KISELEV, L.Ye., inzh.; KRUPENNIKOV, B.N., inzh.

Studying the last stages of condensation steam turbines.
Energomashinostroenie 8 no.3:26-29 Mr '62. (MIRA 15:2)
(Steam turbines--Testing)

... engineer

The aerodynamic characteristics of steam and gas turbines for M < 0.5 were
investigated in a closed-circuit, closed-jet, closed-throat, closed-venturi
with $L/D = 2.5$ at various angles of attack of the peripheral
The tests were conducted in a closed-circuit, closed-jet, closed-throat, closed-venturi
at a maximum subsonic speed of $M = 0.84$. A grill with a variable chord and

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720017-8

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720017-8"

DO NOT REPRODUCE OR TRANSMIT IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THE DIRECTOR, CENTRAL INTELLIGENCE AGENCY

Information of the above is being furnished to you for your information only. It is not to be used for any purpose other than that for which it was furnished to you.

It is requested that you do not disseminate this information to any other person without the prior written approval of the Director, Central Intelligence Agency.

KRUPENNIKOV4G8A8

600

1. KRUPENNIKOV, G. A.

2. USSR (600)

"On the Distribution of in the Rock of the Outer Layers of the Earth's Crust," Iz.Ak.Nauk SSR, Otdel. Tekh. Nauk, No. 9, 1940. Division of Mine Pressure, All-Union Scientific Research Coal Institute. Submitted 29 Apr 1940

9. Report U-1530, 25 Oct 1951.

KRUPENNİKOV, G. A.

Krupennikov, G. A. - "The effect of time on the deformation and the disturbance of bound mine minerals", (Report), Trudy Sevashchaniya po upravleniyu gornym davleniyem, (1946), Moscow, 1948, p. 151-60.

SO: U-411, 17 July 53, (Letopis 'Zhurnal 'nyk Statey, No. 20, 1949).

KRUPENNIKOV, G. A., FURSIN, I. and ZIOLIN, L. A.

"Mining Conditions in the Moscow Basin," Ugol', No.12, 1952

Translation W-26548, 2 Jun 53

1. ERIKH SMIRNOV, G. A., ZIGLIN, L. A.
2. US R (600)
4. Coal-Mining Machinery
7. Results of industrial tests with the mobile mechanized mine shield model Shch-50 in the Moscow coal basin. Ugol' 27 no. 12, 1952.

9. Monthly List of Russian Accessions, Library of Congress, March 1953. Unclassified.

Pool Abstracts
Vol. XV, No. 2
Feb. 1954
Natural Solid
Fuels: Winning

9
0
0
1954. ABSTRACTS OF THE 1954 ANNUAL MEETING OF THE
NATURAL SOLID FUELS SOCIETY, 1954, Vol. XV, No. 2, Aug. 1954, 33-37.
Reports to the Institute of Natural Solid Fuels, Moscow, U.S.S.R., by
S.B. Ostrovskii, A.S. Orlov, A.S. Il'inski, V.G. Lavrenko,
E.G. Lipovich, G.A. Frolovskii, and others on research and design,
are summarized. (1).

KRUPENNikov, G.A.; TRUMBACHEV, V.F., kandidat tekhnicheskikh nauk.

Experimental study by the optical method of mine pressure with mechanized timbering. Ugol' 29 no.3:15-20 Mr '54. (MLRA 7:3)

1. PHIUI (for Krupennikov). 2. Institut gornogo dela Akademii nauk SSSR (for Trumbachev).

(Mine timbering) (Mine surveying) (Earth pressure)

KRUPENNIKOV, G.A.

DAVIDYANTS, V.T.; KRUPENNIKOV, G.A.; KUZNETSOV, G.N.; PANOV, A.D.

Basic trends of an over-all study of the operation of mechanized supports. Ugol' 29 no.8:34-40 Ag '54. (MLRA 7:8)

1. DonUGI (for Davidyants). 2. PHIUI (for Krupennikov). 3. Vsesoyuznyy nauchno-issledovatel'skiy marksheyderskiy institut (for Kuznetsov). 4. Vsesoyuznyy nauchno-issledovatel'skiy ugol'nyy institut (for Panov).
(Mine timbering)

TRUMBACHEV, Vladimir Fedorovich, kandidat tekhnicheskikh nauk; KRUPENI-
KOV, O.A., redaktor; RATNIKOVA, A.P., redaktor; MADZINSKAYA, A.A.
tekhnicheskii redaktor.

[Investigating pressure in mines by the optical method] Issledo-
vanie gornogo davleniia v oshistnykh vyrabotkakh opticheskim
metodom. Moskva, Ugletekhnizdat, 1955. 97 p. (MLRA 8:8)
(Earth pressure)

KRUPENNikov, G.A.; TRUMBACHEV, V.F., kandidat tekhnicheskikh nauk

Selecting efficient ways of interaction for mechanized timbering
and the immediate roof. Ugol' 30 no.7:15-22 J1'55.

(MIRA 8:10)

1. Vsesoyuznyy nauchno-issledovatel'skiy markshyderskiy institut
(for Krupennikov) 2. Institut gornogo dela Akademii nauk SSSR (for
Trumbachev).

(Mine timbering)

KRUPENNIKOV, G.A.

Evidence of rock pressure in vertical mine shafts. Shakht. stroi.
no.8:8-12 Ag '57. (MIRA 10:9)
(Subsidence (Earth movements)) (Mine timbering)

KRUPENNIKOV, G.A.

Experimental method of determining stress on vertical shaft
linings. Shakht. stroi. no.12:1-4 D '57. (MIRA 11:1)

1.Vsesoyuznyy nauchno-issledovatel'skiy marksheyderskiy institut.
(Shaft sinking)

SOV/124-58-7-8054

Translation from: Referativnyy zhurnal, Mekhanika, 1958, Nr 7, p 108 (USSR)

AUTHOR: Krupennikov, G.A.

TITLE: An Experimental Method of Determining the Loads on Supporting Timbering in Vertical Mine Shafts (Eksperimental'nyy metod opredeleniya nagruzok na krep' vertikal'nykh stvolov)

PERIODICAL: Shakhtnoye str-vo, 1957, Nr 12, pp 1-5

ABSTRACT: Bibliographic entry

- | | |
|-----------------------------|-----------------------------------|
| 1. Mining engineering--USSR | 2. Underground structures--Design |
| 3. Wood--Load distribution | 4. Mathematics--Applications |

Card 1/1

KRUPENNIKOV, E. H.

AVERSHIN, S.G., prof., dokt.tekhn.nauk; ANAN'IN, G.P., dotsent, kand.tekhn.
 nauk; BARANOV, A.I., dotsent, insh.; BERLIN, A.Ye., insh.;
 BOCHKAREV, V.G., kand.tekhn.nauk; BUTKEVICH, R.V., kand.tekhn.nauk;
 VESELOVSKIY, V.S., prof., doktor tekhn.nauk; VESKOV, M.I., kand.
 tekhn.nauk; VOL'KENAU, A.V., kand.tekhn.nauk; GARKAVI, S.M.,
 kand.tekhn.nauk; GORBACHEV, T.F.; DAVIDYANTS, V.T., kand.tekhn.nauk;
 DMITRIYEV, M.F., kand.tekhn.nauk; DOBROVOL'SKIY, V.V., kand.tekhn.nauk;
 DUKALOV, M.F., kand.tekhn.nauk; ZATTSEV, N.A.; ZARANKIN, P.S., insh.;
 ZVIAGIN, P.Z., dotsent, kand.tekhn.nauk; IL'SHTEYN, A.M., kand.tekhn.
 nauk; KILYACHKOV, A.P., dotsent, kand.tekhn.nauk; KIRICHENKO, I.P.,
 insh.; KRUPENNIKOV, E.H., kand.tekhn.nauk; KUZNETSOV, S.T., kand.
 tekhn.nauk; KUCHERSKIY, L.V., kand.tekhn.nauk; LINDENAU, M.I., insh.;
 LIPKOVICH, dotsent, kand.tekhn.nauk; LOKSHIN, B.S., kand.tekhn.nauk;
 MURATOV, M.L., dotsent, kand.tekhn.nauk; MUCHNIK, V.S., prof.,
 doktor tekhn.nauk; NAYDYSH, A.M., dotsent, kand.tekhn.nauk; NEKRA-
 SOVSKIY, Ya.E., prof., doktor tekhn.nauk; NEKHAYEV, G.A., insh.;
 NUROK, G.A., prof., doktor tekhn.nauk; OVINOV, M.I., insh.;
 PORTNOV, A.A., insh.; PROSKURIN, V.V., dotsent, kand.tekhn.nauk;
 RUDNEV, B.A., insh.; SAPITSKIY, K.F., kand.tekhn.nauk; SELETSKIY, R.A.,
 dotsent, kand.tekhn.nauk; SEMENOV, A.P., kand.tekhn.nauk; SKAPA,
 P.V., insh.; SONIN, S.D., prof.; SUDOPLATOV, A.P., prof., doktor
 tekhn.nauk; TIMOSHEVICH, V.A., insh.; FURMAN, A.A., insh.; CHINAKAL,
 N.A.; SHAKHMEYSTER, D.G., dotsent, kand.tekhn.nauk; TERPIGOREV, A.M.,
 glavnyy red.; LOZNEVA, A.A., red.; NAUMKIN, I.P., red.; OSTROVSKIY,
 S.B., red.; PANOV, A.D., red.; STUGAREV, A.S., red.; SHELKOV, A.A.,
 (Continued on next card)

AVERSHIN, S.G.---(continued) Card 2.

red.; ARKHANGEL'SKIY, A.S., kend.tekhn.nauk, red.; HEZNIKOV, G.A.,
insh., red.; ALESHIN, M.I., red.isd-va; KACHALKINA, Z.I., red.
isd-va; PROZOROVSKAYA, V.L., tekhn.red.; NADEINSKAYA, A.A., tekhn.red.

[Mining; an encyclopedic handbook] Gornoe delo; entsiklopedicheski
spravochnik. Glav. red. A.M. Terpigorev. Chleny glav.red.: P.A.
Barabanov i dr. Vol.5 [Underground coal mining] Razrabotka
ugol'nykh mestorozhdenii podzemnym sposobom. Moskva, Gos. nauchno-
tekhn.isd-vo lit-ry po ugol'noi promyshl. 1958. 447 p.

(MIRA 12:2)

1. Chlen-korrespondent Akademii nauk SSSR (for Gorbachev, Chinakal).
2. Chlen-korrespondent Akademii nauk USSR (for Zaytsev).
(Coal mines and mining)

КРУПЕННИКОВ, Г.А., инж.

Experimental method of determining pressure on vertical mine shaft
linings. Shakht. stroi no.1:4-7 '58. (MIRA 11:2)
(Shaft sinking) (Mine timbering)

KRUPENNIKOV, G.A.

Choice of methods, rated layout, and initial data for analytic studies of rock pressure. Ugel' 33 no. 7:20-24 J1 '58. (MIRA 11:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy markshayderskiy institut.
(Mining engineering)
(Earth pressure)

KRUPENNIKOV, O.A.

Initial stage of pressure development as vertical mine shaft
linings in flat-gradient rocks. Shakh. stroi. no.1:12-16 Ja '59.
(MIRA 12:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy markshayderskiy institut.
(Shaft sinking)(Subsidence (Earth movements))

KRUPENNIKOV, G.A., inzh.; FILATOV, M.A., inzh.

Some results of laboratory investigations of underground pressure
occurring in vertical openings in flat-dipping seams. Shakht. stroi.
4 no.10:14-17 0 '60. (MIRA 13:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy marksheyderskiy institut.
(Mining engineering)

KRUPENNIKOV, G.A., inzh.

Research on rock pressure in vertical shafts in sloping seam beds in the Donets Basin. Shakht.stroi. 5 no.4:10-17 Ap '61. (MIRA 14:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy marksheyderskiy institut.
(Donets Basin—Mine timbering) (Rock pressure)

KRUPENNIKOV, G.A.; KOZEL, A.M., inzh.; FILATOV, N.A., inzh.

Approximative calculation of loads on supports of shaft mouths. [Trudy]

VNIIMI no.45:204-218 '62.

(MIRA 16:4)

(Rock pressure)

(Mine timbering)

KRUPENNIKOV, G.A., inzh.; DROBYSHEV, V.F., inzh.; FILATOV, N.A., inzh.

Technical requirements and reference data for designing the supports
for vertical shafts in the Yakovlevo Mine. Shakht. stroi. 7 no.2;10-15
F '63. (MIRA 16:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy marksheyderskiy institut.
(Kursk magnetic anomaly—Mine timbering)

KRUPENNikov, P. M.

Krupennikov, P. M. - "The militant antiMorganist Professor S. N. Kovalevskiy,"
Trudy Alma-At. vet.-zoo-tekhn. in-ta, Vol V, 1948, p. 53-58

So: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 13, 1949)

KRUPENNIKOV, P. M.

Krupennikov, P. M. "Means of advancing swine breeding in the southern rayons of Kazakhstan," -- Author indicated in table of contents -- Trudy Alma-At. vet.-zootekhn. in-ta, Vol. V, 1948, p. 58-60

So: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 13, 1949)

LIKHTARNIKOV, Ya.M.; KRUPENNIKOV, S.S., inzhener, redaktor; DUGINA, N.A.,
tekhnicheskii redaktor.

[Manufacturing steel construction elements for traveling cranes]
Is opyta izgotovleniia stal'nykh konstruktsii kranov-peregrushatelei.
Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1954. 21 p.
(Cranes, derricks, etc.) (MIRA 8:1)

KRUPENNIKOV, S.S., inzhener; KRYLOV, M.P., inzhener; DOL'NIK, R.M.,
inzhener.

Erecting precast reinforced concrete elements of bunker scaffolds
of blast furnaces. Stroi.prom. 34 no.2:9-14 P '56. (MLBA 9:5)

1. Trest Uralstal'konstruktsiya.
(Blast furnaces) (Precast concrete construction)

KRUPENNIKOV, S.S., dotsent; SPERANSKIY, B.A., dotsent; BOGDANOV, S.I.,
nauchnyy red.; LYTKINA, L.S., red.izd-va; KUDAKOVA, N.I.,
tekhn.red.

[Assembling precast reinforced concrete construction elements in
the Urals] Iz opyta montazha sbornyykh zhelezobetonnykh konstruktaii
na Urale. Moskva, Gos.izd-vo lit-ry po stroit., arkhitekt. i stroit.
materialam, 1959. 51 p. (MIRA 13:3)

(Ural Mountain region--Precast concrete construction)
(Cranes, derricks, etc.)

KRUPENNIKOV, S. S., Cand. Techn. Sci. (diss) "Report on Special Methods of Installation of Complex Building Elements in Industrial Construction (Development and Introduction," Moscow, 1961, 62 pp. (Acad. of Construc. and Architec. USSR) 200 copies (KL Supp 12-61, 269).

KRUPENNIKOV, S.S., dots.; SUKHANOV, V.P., inzh.; SHMYKOV, A.A., inzh.

Manufacture and assembly of the precast reinforced-concrete
elements of the bunker trestle of a blastfurnace stock yard.
Trudy NII prom. zdan. i soor. no.2:36-56 '61. (MIRA 15:6)
(Precast concrete construction) (Chelyabinsk—Blast furnaces)

KRUPENNIKOV, S.S., laureat Stalinskoy premii, dotsent; BYCHKOV, M.I.,
kand.tekhn.nauk, dotsent; LIZAREV, A.D., inzh.

Engineering characteristics of reinforced concrete girders with
multiple-series welded reinforcements for roofs of industrial
buildings. Trudy NII prom.stan.i soor. no.5:5-12 '61.

(MIRA 15:4)

(Reinforced concrete construction) (Beams and girders)

KRUPENNikov, S.S., inzh., red.; SMIRNOV, V.I., nauchnyy red.;
YUDINA, L.A., red. izd-va; TEMKINA, Ye.L., tekhn. red.

[Design and construction of industrial buildings and structures]
Opyt proektirovaniia i stroitel'stva promyshlennykh zdani i so-
oruzhenii; sbornik trudov. Pod red. S.S.Krupennikova. Moskva,
Gosstroizdat, 1962. 223 p. (MIRA 15:6)

1. Akademiya stroitel'stva i arkhitektury SSSR. Institut po stroi-
tel'stvu, Sverdlovsk. 2. Chlen-korrespondent Akademii stroitel'-
stva i arkhitektury SSSR (for Smirnov).
(Industrial buildings)

SPERANSKIY, B.A., kand. tekhn. nauk; KRUPENNIKOV, S.S., kand. tekhn. nauk;
KAPLAN, A.A., inzh.; TAMPLON, F.F., inzh.

Using prestressed metal beams for roofs. Prom. stroi. 41
no.4:37-41 Ap '64. (MIRA 17:9)

STREL'NIKOV, N.P.; BESPALOV, Ye.M.; SOKOLKIN, A.F.; SHPINEV, V.F.; KRUPENNIKOV, S.S.; SPEKTOR, M.D.

Some conclusions from the experiences of building a pipe rolling mill. Prom.stroi. 42 no.11:6-9 N '64.

(MIRA 18:8)

1. Trest Uralt'yazhtrubstroy (for Strel'nikov, Bespalov, Sokolkin).
2. Upravleniye kapital'nogo stroitel'stva Pervoural'skogo novotrubnogo zavoda (for Shpinev).
3. Uralpromstroyniiprojekt (for Krupennikov, Spektor).

S/137/62/000/012/063/085
A006/A101

AUTHORS: Chirikov, V. T., Krupennikov, V. S., Moiseyeva, M. I.

TITLE: Low-carbon chrome-tungsten carburizing heat-resistant steels

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 12, 1962, 130, abstract
12I801 ("Tr. N.-1. i eksperim. in-ta podshipnik. prom-sti, 1960,
1 (21), 3 - 14)

TEXT: The authors studied heat-resistant steel grades 10 X4 B19Φ
(10Xh4V19F), 15 X4 B8Φ (15Xh4V8F), 15 X4 B18Φ (15Xh4V18F) and 3 X2 B8 (3Xh2V8).
It is recommended to use the aforementioned carburizing steels for deforming
and cutting tools, rings, heat-resistant bearings and other parts operating at
up to 400°C. The following optimum content of components is recommended (in %):
C 0.2 - 0.3, V 1, W 10 - 18, Cr 4. An increase of the indicated C amount raises
the hardness of the part core as a result of the martensite transformation of
austenite during the tempering process. A reduction of the C amount < 0.15% in
steel containing > 18% W, leads to dispersion hardening of the core at high-
temperature tempering, and to losses in ductility. Best results are obtained

Card 1/2

Low-carbon chrome-tungsten carburizing...

S/137/62/000/012/063/085
A006/A101

by the heat treatment of the investigated steels according to the following conditions: carburizing at 930 - 1,050°C to a depth determined by the purpose of the part; quenching from 1,150 - 1,250°C; triple tempering at 500 - 600°C depending upon the W and C content in the steel.

M. Bronfin

[Abstracter's note: Complete translation]

Card 2/2

ACCESSION NR: AP4009946

S/0186/63/005/006/0656/0660

AUTHOR: Tsitsishvili, G. V.; Krupennikova, A. Yu.

TITLE: Strontium ion sorption on a sodium molecular sieve

SOURCE: Radiokhimiya, v. 5, no. 6, 1963, 656-660

TOPIC TAGS: solid adsorbents, cation adsorption, aluminosilicate polyhydrates, zeolite, synthetic zeolite, Na-zeolite, strontium nitrate, yttrium-90, gumbrine, fission fragments, Sr sup 90-Y sup 90

ABSTRACT: New information has been obtained in the investigation of the ion-exchange properties of synthetic zeolite by the radioactive indicator method, the results of the latter having been compared to those of the simultaneous chemical control method. The overwhelming effect of the carrier on the adsorption percent of the radioactive isotope can be judged from the absorption of the Sr^{2+} ions from various solutions of stable strontium concentrations as determined by a Sr^{90} indicator. When the concentration is 0.05 below normal, practically all of the strontium is absorbed and the activity of the

Card 1/2

ACCESSION NR: AP4009946

solution after the experiment is determined by the presence of yttrium-90 whose sorption is inhibited by the further dilution of the strontium nitrate solution. The experimental data based on strontium ion absorption reveal that the molecular sieve in the form of sodium is a cation-exchange type adsorbent with a high absorption capacity. The strontium absorption by Na-zeolite can be determined satisfactorily by radiometric and chemical analysis. The two methods complement one another, and can be used for mutual control purposes. "The authors are grateful to Ye. G. Davitashvili, M. M. Rubinshteyn and Ts. A. Gedzhadze for their assistance in describing the objects under investigation." Orig. art. has: 1 figure, 2 formulas and 6 tables.

ASSOCIATION: none

SUBMITTED: 16Jul62

DATE ACQ: 07Feb64

ENCL: 00

SUB CODE: EL, CH

NO REF SOV: 010

OTHER: 005

Card 2/2